

INDEX MAPS.

T. 38 N., R. 6 E. 2nd Mer.



T. 29 N., R. 7 E. 2nd Mer.



☞ The figures on the lines refer to the page.

Township No 35 North of Range No 6 East 2nd Mer Indiana

South Boundary

West	On South Boundary of Sec 35.	Var 5° 05' E
22.40	A Blk Oak 20 ins diam.	
46.00	Set a q. Sec post from which	
	a Blk. Oak 20 ins diam. bears N. 25° W. 24 links dist &	
	a " Do 22 " " " N 17° E 79 " "	
54.81	A W. Oak 28 " " A Lake Bears S W. in 1/2 mile.	
80.00	Set a Post Corner to Sec 35 & 36 from which	
	a Black Oak 20 ins diam. bears N. 81° W. 43 lks. dist &	
	a " Do 24 " " " N 7° E. 42 " "	
	Land Rolling 3d rate. Timber. White. Black & Red	
	&c. Undergt Hickory. Oak. Sassafras. &c.	

West	On South Boundary of Sec 35.
40.00	Set a q. Sec post from which
	a Burr Oak 20 ins diam. bears N. 76° W. 40 lks dist &
	a No other tree near.
47.40	A Black Oak 6 ins diam
73.50	A W. Oak 18 " "
80.00	Set a Post Corner to Sec 34 & 35 from which
	a Blk. Oak 24 ins diam. bears N 56° W 26 links dist &
	a Sph. Oak 20 " " " N 42° E 62 " "
	Rolling 2nd & 3d rate Land. Timber. Black. White.
	and Red Oak Hickory &c Undergt Oak. Sassafras.
	Hickory &c.

West	On South Boundary of Sec 34
14.50	A Hickory 12 ins diam.
40.00	A W. Oak 34 " " is Corner of q. Sec.
56.15	A W Oak 22 " "
80.00	Set a Post Corner 33 & 34 from which
	a Hickory 3 ins diam. bears N 28° W 41 links dist &
	a Do 4 " " " N 19° E 42 " "
	Land level. 2nd & 3d rate. Timber. White. Red
	and Black Oak. &c Undergt Hickory. Oak.
	Sassafras. &c.

T. 38 N. R. 6 E. 2nd Mer. Indiana

West	On South Boundary of Sec. 33.
2. 80	A Brook 5 links wide. Course South
21. 38	A Hickory 5 ins. diam.
40 00	Set a g. Sec. post from which
	a Blk. Oak 16 ins. diam. bears N. 50 W. 36 links dist. &
	a " Do 16 " " " N. 42½ E. 54 " "
56. 43	A W. Oak 14 " "
60. 00	Enter Large Prairie
80. 00	Set a Post Corner to Secs. 32 & 33 from which
	in Mound.
	Land level. 2nd & 3d rate. Timber. White Black
	and Red Oak. Hickory &c. Undergt. Hickory.
	Hazle. Sassafras. &c.

West	On South Boundary of Sec 32.
40. 00	Set a g. Sec Post in Mound in Wet Prairie
80. 00	Set a Post Corner to Secs. 31. & 32 in Mound in Wet
	Prairie. Land level Wet 3d rate. This Prairie
	lies S & W. from Corner of Sec. last set.

West	On South Boundary of Sec 31.
8. 50	A Small Grove of Timber
12. 00	Enter a part of the same large Prairie
34 10	A W. Oak 16 ins. diam. Heave prairie
40. 00	Set a g. Sec post from which
	a Spanish Oak 14 ins. diam. bears N. 37 E. 100 lks dist. &
	a " Do 14 " " " N. 50 W. 59 " "
59. 04	A Burr Oak 24 " " where Enter rough Swamps.
75. 31	Left the Swamps.
80. 00	Set a Temp. Town Corner.
	Land Wet 3d rate. Mostly Prairie Timber. some
	Burr Oak. Elm &c. Undergt. Willow. Buttenwood
	&c. July 31st. 1829.

East Boundary

North	On East Boundary of Sec. 36. Var. 5. 15 E

Comp.

T. 38. N. R. 6. E. 2nd Mer. Indiana

28 74 A W. Oak 14 ins diam.
31. 00 A Knock 8 links wide. Course N W.
40. 00 Set a g.s Sec. post from which
a W. Oak 18 ins diam. bears N 83 W 32 links dist. &
a W. Oak 14 " " " S 13 W 46 " "
59 07 A Wh. Oak 18 ins diam.
80. 00 Set a Post Corner to Sec. 25 & 30 from which
a Black Oak 18 ins diam. bears N. 70 W. 28 links dist. &
a W. Oak 18 " " " S. 75 W. 38 " "
Land. level 2nd & 3d rate. Timber. White. & Black
a Red Oak. Hickory. &c. Undergt. Oak. Hickory. &c

North On East Boundary of Sec 25.
14. 36 A Black Oak 18 ins diam.
18. 50 Enter Flag Swamp E & W.
25 50 Left the same
40. 00 Set a g.s Sec. post from which
a Black Oak 16 ins diam. bears S 55 W 64 lks dist. &
a " Do 14 " " " N 17 W 184 " "
46 00 Enter Wet Prairie
57. 00 A Stream 70 links wide. Course N W
59. 65 A W. Elm 18 ins diam.
80 00 Set a Post Corner to Sec. 24 & 25 from which
a Black Oak 18 ins diam. bears S 33 W. 38 lks dist. &
a " Do 20 " " " N. 67 W. 74 " "
Mostly level 2nd rate Land. Timber. Black.
White an Red Oak. Hickory. &c. Undergt. Oak.
Hickory. Willow &c.

North On East Boundary of Sec 24.
20. 00 A W. Oak 24 ins diam.
40. 00 Set a g.s Sec. post from which
a Black Oak 24 ins diam. bears S 56 W 30 links dist. &
a Hickory 15 " " " N 111 W 82 " "
61. 00 A Swamp.
66. 00 Left the same.

T 38 N. R 6 E 2nd Mer. Indiana.

80 00 Set a Post Corner to Sec. 13 & 24 from which
a W. Oak 20 in. diam. bears S 67 W 97 links dist. &
a Blk. Oak 24 " " " N 3. W 44 " "
Land level sandy. inferior 2nd rate. Timber. Black
& White Oak. Hickory &c. Undergt Oak. Hickory.
Willow. Whortleberry. &c.

North On East Boundary of Sec 13
12. 69 A Black Oak 26 in. diam.
40. 00 Set a qr. Sec. post from which
a W. Oak 15 in. diam. bears S 31½ W 20 links dist. &
a W. Oak 15 " " " S 61 W 26 " "
Enter Wet Prairie or Glade.
43. 50 Left the same
57. 98 A Blk. Oak 24 in. diam.
57. 50 Enter Wet Prairie
80. 00 Set a Post Corner to Sec. 12. & 13 from which
a W. Oak 36 in. diam. bears S. 2. W 12. 19 links dist. &
a W. Oak 20 " " " N 10 W 3. 11 " "
Part level. Wet Prairie. Part Dry Barrens.
Timber Blk. & White. Oak. Hickory. &c. Undergt.
Oak. Hickory. Sassafras. &c.

North On East Boundary of Sec. 12
17. 44 A Burr Oak 20 in. diam.
27 18 Intersect the North Boundary of the State of Indiana
36. 07 East of the 54th mile Post. Where set a
Post Corner to Tract Town 38 North. Ranges 6 & 7 E.
also Corner to Tract Sec. 7 & 12. from which a
Black Oak 20 in. diam. bears S 34½ W 15 links dist.
& a W. Oak 24 " " " S. 6½ E 44 " "
Land level 3d rate. Timber. Black. Burr & White
Oak. Hickory. &c. Undergt Oak. Hickory. &c
July 29th 1829.

West Boundary. Var 5. 15. 6

T. 38 N. R. 5 E. 2nd Mer. Indiana.

North On East Boundary of Sec 36. T 38 N. R 5 E.
23.00 A W. Oak 20 in. diam.
40.00 Set a g.s Sec. post from which
a W. Oak 16 in. diam. bears S 75 W 43 links dist. &
a Do 16 " " " N 5½ W 52 " "
41.00 Enter Prairie mostly Swamp.
57.80 A Spring Brook 3 links wide. Course N. W
58.15 Set a Post on the N E Bank of St. Joseph's River at Meandering
point where Raised a Mound.
This Stream is mostly a delightful Stream and bears
a S W. Course.
67.18 Set a Post in the N W. Bank of the St. Joseph's River
from which
a W. Oak 16 in. diam. bears S 11 E 0 links dist. &
a W Oak 10 " " " S 41 W 7 " "
74.07 A Black Oak 22 in. diam.
80.00 Set a Post Corner to Sec. 25 & 36 from which
a Black Oak 14 in. diam. bears N 44½ W 30 lks dist. &
a W. Oak 24 " " " S 13½ W 158 " "
Mostly level 2nd rate land. Timber Black. White
and Red Oak. Hickory. &c Undergth Oak. Hickory.
and Willow.

North On East Boundary of Sec 25 T 38 N. R 5 E.
21.12 A Black Oak 20 in. diam.
40.00 Set a g.s Sec post from which
a W. Oak 16 in. diam. bears N 25 W 8 links dist. &
a Blk. Oak 18 " " " S 37½ W 39 " "
61.10 A Forked Black Oak 28 in. diam.
80.00 Set a Post Corner to Sec. 24 & 25 from which
a W. Oak 16 in. diam. bears S 14 W 27 links dist. &
a Blk Oak 20 " " " N 40½ W 38 " "
Land level. Soil 2nd & 3d rate. Timber. Black.
White & Red Oak. Hickory. &c Undergth
Hickory. Oak. Sassafras. &c.

T 38. N. R 6 E 2nd Mer. Indiana

North On East Boundary of Sec 24 T 38 N R 5 E.
32.58 A W. Oak 20 in. diam.
40.00 Set a g. Sec Post. from which
a W. Oak 22 in. diam. bears N 64½ W 46 links dist & a W. Oak 18 " " " S 22 W 63 " "
59.80 A Do 16 " "
80.00 Set a Post Corner to Sec. 13 & 24 from which a W. Oak 20 in. diam. bears S 32 W. 14 links dist & a Do 20 " " " N 34 W. 38 " "
Beautiful, Level. Open 2nd rate Land. Timber White. Black. & Red Oak. Hickory &c. Undergt Hickory. Oak. &c.

North On East Boundary of Sec 13. T 38 N. R 5 E.
17.10 A W. Oak 16 in. diam.
29.58 A Do 18 " "
32.50 Enter Wet Prairie mostly West & N W.
40.00 Set a g. Sec Post from which
a W. Oak 18 in. diam. bears S 10 E 42 links dist.
No other tree convienient
The last post in Wet Prairie
66.00 Left Wet Prairie
80.00 Set a Post Corner to Sec. 12. 13 from which
a W. Oak 20 in. diam. bears N. 76 W. 54 links dist & a Do 16 " " " S. 34 W. 1.60 " "
Land mostly level wet 3rd rate. Timber. White. Red and Black Oak. Hickory. &c. Undergt Oak. Hickory Sassafras. &c

---

North On East Boundary of Sec 12. T 38 N. R 5 E.
14.94 A W. Oak 22 in diam.
31.34 Intersect the North Boundary of the State of Indiana
38.70 West of the 49st mile Post. where Set a Post Corner to ~~Sec.~~ Town 38. (Indt.) North Ranges 5 & 6 E. also Corner to Indt. Sec. 1. & 12.
from which a

T 38 N. R 6 E. 2nd Mer. Indiana

W. Oak 14 ins. diam. bears S 27 W 99 links dist. &
a Do. 14 " " " S 83½ E 50 " "
Land 3d rate. Timber. W. Oak. Black Oak. Hickory,
&c. Undergth Oak &c. Aug. 4th 1829.
Surveyed by
Thomas Brown D.S.

Subdivisions

North Between Sec. 35 & 36.
23 36 A W. Oak 36 ins. diam.
40.00 Set a qr. Sec Post from which
a Hickory 12 ins. diam. bears S 72 W 35 links dist. &
a Do 10 " " " S 42 E 39 " "
50.07 A B Oak 10 " "
80.00 Set a Post Corner to Sec. 25. 26. 35 & 36 from which
a Red Oak 10 ins. diam. bears N 25 E 40 links dist. &
a Do 18 " " " S 25 W 15 " "
Land level & 3d rate. Timber W. & B. Oak.

East On Random between Sec. 25 & 36.
55.00 A Brook 6 links wide Course N W.
79.50 Intersect the N & S. line or E. Boundary 12 links
North of the Post
Rolling 3d rate Barrens. Timber B. Oak.

West. Connected between Sec. 25 & 36
13.91 A B. Oak 18 ins. diam.
39.75 Set a qr. Sec Post as near. dist from which
a W. Oak 9 ins. diam. bears S 61½ E 21 links dist. &
a Red Oak 10 " " " N 61½ W 90 " "
79.50 To Sec Corner.

North Between Sec. 25 & 26.
7.97 A B. Oak 19 ins. diam.
40.00 Set a qr. Sec. Post from which
a B. Oak 16 ins. diam. bears N 84½ W 20 links dist. &

T 38 N. R 6 E 2nd Mer. Indiana

	a W. Oak 9 in. diam. bears S 84 E 63 links dist.
41.20	A W. Oak 26 in. "
43.00	A Pond of 5 acres more
71.00	The little Elk hart Creek. 65 links wide. Course N.W. Current Rapid.
80.00	Set a Post Corner to Sec. 23. 24. 25 & 26. from which a Burr Oak 8 in. diam. bears N 88 E 72 links dist. & a Do 9 " " " S 84 W 1.50 " " Rolling 3d rate Barrens. Timber. W. & B. Oak. Near the Creek. Burr Oak.

East	On Random between Sec. 24 & 25.
79.50	Intersect N & S line on E. Boundary 68 links S. of Post. Land & same as last mile.

West	Connection between Sec. 24 & 25.
4.03	A B. Oak 12 in. diam.
39.78	Set a qr. Sec Post from which a B. Oak 12 in. diam. bears N 62 W 28 links dist. & a Do 11 " " " S 62 E 27 " "
41.57	A W. Oak 12 " "
79.56	To the Corner

North	Between Sec. 23 & 24
2.13	A B. Oak 13 in. diam.
40.00	Set a qr. Sec Post from which a B. Oak 18 in. diam. bears S 37 W 35 links dist. & a W. Oak 20 " " " N 52 E 70 " "
44.75	A B. Oak 20 " "
80.00	Set a Post Corner to Sec. 13. 14 23. & 24 from which a W. Oak 26 in. diam. bears N 85 W 1.40 links dist. & a Do 22 " " " East 47 " " Land 3d rate Oak Barrens

---

East	On Random Between Sec. 24 & 13.
80.00	Intersect N & S. line on E. Boundary 9 lks. North of Post

T 38 N. R 6 E 2nd Mer. Indiana.

North	Corrected between Sec. 13 & 24
19.71	A W. Oak 17 ins.
40.00	Set a g. Sec post from which
	a B. Oak 18 ins. diam. bears N 20 W 34 links dist. &
	a Do 16 " " " S 33 E 78 " "
56.00	A B. Oak 16 " "
80.00	To Sec. Corner.

North	Between Sec. 13 & 14
40.00	Set a g. Sec. post from which
	a W. Oak 15 ins. diam. bears N 50 W 33 links dist. &
	a Do 15 " " " S. 50 E 50 " "
73.50	To St. Josephs River Course West
	Set a Post from which
	a W. Oak 27 ins. diam. bears N 89 W. 160 links dist. &
	a Do 28 " " " S. 30 E 128 " "
80.00	Corner of Sec. 11. 12. 13. & 14. in River

East	Between Sec. 12 & 13
4.50	Leave the River on the North side and set a Post -
	from which
	a Maple 12 ins. diam. bears N 81 W 5 links dist. &
	a Do 8 " " " S 25 E 34 " "
10.34	To Post on Right Bank of the River. from which
	a W. Oak 12 ins. diam. bears S 47 W 113 links dist. &
	a Lynn 16 " " " N. 10 W. 76 " "
	Inel Bottom. soil 2nd rate Timber. Maple
	and Elm.

West	Between Sec. 12 & 13 from Range line
40.00	Set a gr. Sec post. in Mound in Prairie
50.75	A Brook 8 links wide. Course N W. good water
53.88	Enter Bottom. A W. Elm. 12 ins. diam.
54.20	A Brook 8 links wide. Course S W.
59.17	Set a Post on the Left Bank of the River.
	from which an

T 38 N. R 6. E 2nd Mer. Indiana.

Elm 9 ins. diams. bears N 58 E 44 links dist & a
B. Ash 8 " " " S 18 E 40 " "

North Between 11. 12.
11. 90 Over St Josephs River & set a Post on the Right Bank. from which
a Hickory 10 ins. diams. bears N 71 E. 10 links dist & a Do 10 " " " S 71 W 11 " "
5. 03 A Lynn 24 " "
27. 30 Intersect the State line of Indiana and set post. from which
a W. Oak 8 ins. diams. bears S. 60 E. 22 links dist & a B. Oak 24. " " " S. 48 W. 57 " "
Part of this mile. River Bottom. Balance 3rd rate. Oak Barrens.

North Between Sec. 34 & 35.
28 75 A Red Oak 16 ins. diams.
A Brush 3 links wide. Course West.
40. 00 Set a qr. Sec Post from which
a W. Oak 28 ins. diams. bears N. 28 W. 28 links dist & a Hickory 15 " " " S. 40 E. 7 " "
58. 88 A B. Oak 18 " "
65. 01 Enter Prairie mostly East
80. 01 Leave Do and set a Post Corner to Sec. 26. 27 34 and 35. from which a
Burr Oak 12 ins. diams. bears N. 57 W 15 links dist & a Do 15 " " " S. 55 E 34 " "
Rolling 2nd rate. Land Timber W. Oak, Burr Oak

East On Random between Sec. 26 & 35.
30 00 Leave the Prairie
79. 83 Intersect N & S line 12 links South of the Post.
Level handsome Land. The Prairie Dry.
Timber. Re. & B. Oak.

T 38 N. R 6. E 2nd Mer. Indiana.

West Corrected between Sec. 26 & 35.
14. 23 A W. Oak 11 ins. diam.
39 91 Set a g. Sec Post at aver. dist from which
a W. Oak 12 ins. diam. bears N. 32 W. 32 links dist &
a Do 14 " " " S 32 E 45 " "
50. 00 A W. Oak 16 " "
79. 83 To Sec. Corner

North Between Sec. 26 & 27.
23. 31 A Burr Oak 14 ins. diam.
40. 00 Set a g. Sec Post from which
a Burr Oak 9 ins. diam. bears N 78½ W 46 links dist &
a " Do 12 " " " S 88 E 25 " "
66. 30 To little Elk hart Creek. Course N W.
68. 97 A B. Ash 9 ins. diam.
80 00 Set a Post Corner to Sec. 22. 23. 26 & 27. from which
a B. Ash 10 ins. diam. bears N. 87 E. 6 links dist &
a W. Oak 5 " " " N 73 W 29 " "
Land level Barrens. Borders on the Prairie which
lies East. Timber. Burr Oak. & Hickory.

East On Random Between Sec. 23 & 26.
40 00 To Elk hart Creek — links wide. Course W. S. W.
77. 05 " Do " " " " N W.
79. 90 Intersect N & S line 40 links North of the Post
West in Creek Bottom & level Timber. Red Oak. W. Oak.
Elm. & East in Rolling 3° rate. Barrens.

West Corrected between Sec. 23 & 26.
9. 43 An — Oak 16 ins. diam.
39. 95 Set a g. Sec Post at aver. dist from which
a Sycamore 15 ins. diam. bears S 37 E 30 links dist &
an R. Oak 16 " " " N 32½ W 6 " "
40. 43 A W. Walnut 15 ins. diam.
79 90 To Sec Corner.

T 38 N. R 5 E. 2nd Mer. Indiana

North 16.50 — Between Sec.s 22 & 23.
To the Left Bank of St. Joseph River. Course W. of S.
Set a Post from which
a W Oak 17 ins. diam.r bears N 01 E. 07 links dist.s &
a B. Oak 18 " " " S 03½ W 55 " "

11.40 — To Post on the Right Bank of the River from which
a B. Oak 11 ins. diam.r bears N 25 E 14 links dist.s &
a W. Oak 9 " " " S. 33 W. 00 " "

80.00 — Set a Post Corner to Sec.s 14-15. 22 & 23 from which
a W. Oak 10 ins. diam.r bears N 20 E 15 links dist.s &
a Do 11 " " " S 25 W 42 " "
Land South of the River Rolling 2nd rate Timber
B. & W. Oak. Elm. B. Ash. Part Barrens.
North of the River. high level 2nd rate Barrens.
Timber W. Oak.

East 20.69 — On True line between Sec.s 14 & 23.
To the Right Bank of St. Joseph River. where
a W. Oak 9 ins. diam.r bears N. 29 W. 03 links dist.s &
a Do 6 " " " S. 33 W 35 " "

West 11.71 — Between Sec.s 14 & 23
A W Oak 30 ins. diam.r

40.00 — Set a g. Sec.s Post from which
a W Oak 18 ins. diam.r bears S 23 E 50 links dist.s &
a Do 9 " " " N 22½ E 75 " "

40.49 — To Post on the Left Bank of the River from which
a Burr Oak 12 ins. diam.r bears N 56 E 50 links dist.s &
a " Do 18 " " " S 2 W 75 " "
West of the River. Level high. 2nd rate Land.
Barrens. Timber. W. & B Oak. East of the River
Level Land Timber Burr. W. & B. Oak.

North — Between Sec.s 14 & 15.
40.00 — Set a g. Sec.s post from which
a B. Oak 16 ins. diam.r bears N 47 W 32 links dist.s &

T 38 N. R. 6 E 2nd Mer. Indiana.

a B. Oak 14 in. diam. bears S. 47 E 29 links dist.
75.00 Trout Creek 50 links wide. Course S E.
78.00 Same " " " " S W.
80.00 Set a Post Corner to Sec. 10. 11. 14 & 15. from which
a B. Oak 16 in. diam. bears N 62 E 2.42 links dist. &
a Do 10 " " " N 80 E 4.60 " "
Level 3d rate Barrens Thinly Timbered with Oak.

East On Random between Sec. 11 & 14 True line
4.50 Trout Creek 55 links wide. Course
31.69 A W. Oak 12 in. diam.
40.00 Set a gr. Sec. post from which
a W. Oak 12 in. diam. bears N 11 E 52 links dist. &
a B. Oak 13 " " " S 59 E 44 " "
57.15 A Do 12 " "
58.50 To Post on the Right Bank of River. from which
a B. Oak 13 in. diam. bears N 56 W 65 links dist. &
a W Oak 8 " " " S 31 W 44 " "
Level 2nd rate Barrens. Thinly timbered with
B. & W. Oak.

North Between Sec. 10 & 11.
7.50 Trout Creek links wide. Course S E
Rapids with gravel Bottom.
27.25 Intersect the State line and set a Post. from which
a W. Oak 13 in. diam. bears S 40 E 1.07 links dist. &
an Aspin 11 " " " S 6 W 3.12 " "
Prairie & Lake lies North Rolling 2nd rate
Barrens. Timber W Oak

Saturday Feb. 13th 1830

North Between Sec. 33 & 34.
4.24 A Red Oak 10 in. diam.
14.50 A Brook 4 links wide. Course S. W. & links near the line.
40.00 Set a gr Sec post. from which

T 38 N. R 6 E. 2nd Mer. Indiana

a B. Oak 10 in. diam. bears S. 48 E 1.80 links dist. &
a Do 9 " " " N 53½ W 1.55 " "
In Edge of Prairie which Enter.

80.00 Set a Post Corner to Sec. 27. 28. 33 & 34 from which
(In Edge of Barrens & Leare Prairie)
a W. Oak 22 in. diam. bears S 80 E 97 links dist. &
a B. Oak 30 " " " N 34 W 1.06 " "
Land 3d rate. South ½ Oak. Barrens. North ½
Wet Prairie

East On Random between Sec. 27 & 34
79 50 Intersect the N & S line 5 links North of the Post.
Level 3d rate Barrens. Timber W. & B. Oak.

West Corrected between Sec. 27 & 34
13. 34 A Hickory 6 in. diam.
39. 75 Set a g. Sec Post from which
a Burr Oak 9 in. diam. bears S 58 E 30 links dist. &
a Do 8 " " " N 34½ W 12 " "
75 00 A B. Oak 26 " "
79 50 To Sec Corner.

North Between Sec. 27 & 28
25. 29 A B. Oak 12 in. diam.
40. 00 Set a g. Sec Post from which
a Burr Oak 12 in. diam. bears West 33 links dist. &
a Do 12 " " " N 80 E 32 " "
40. 00 A Hickory 12 " "
67. 39 Set a Post on the Left Bank of the River. from which
a Willow 8 in. diam. bears West 9 links dist. &
a Do 6 " " " N. 55 E 56 " "
71. 30 Over the River & set a Post on the Right Bank.
from which
a W. Oak 9. in. diam. bears N. 70 E 29 lks dist. &
a B. Oak 9 " " " S 59 E 80 " "
73. 99 A Hickory 7 " "

T 38 N. R 6. E 2nd Mer. Indiana

80.00 Set a Post Corner to Sec. 27. 28. 21 & 22. from which
a Hickory 8 ins. diam. bears N 28 E 14 links dist. &
a Do 8 " " " S 39 W 25 " "
Level 2nd rate Barrens. Timber. B & W Oak.
Saturday Feby. 13th. 1836.

East Between Sec. 22 & 27 to River.
37.50 To Post on the Right Bank of the River. from which
a B. Oak 16 ins. diam. bears S 9 W 15 links dist. &
a Do 17 " " " N 58 E 41 " "
57.50 Leave Bend of River & set Post on the same side.
from which
a W. Oak 10 ins. diam. bears S 30 E 15 links dist. &
a Do 12 " " " N. 16 E 19 " "
59.12 A B. Oak 28 " "
66.31 To Post on the Right Bank again of the same
River from which
a B. Oak 11 ins. diam. bears N 36 W 19 links dist. &
a W. Oak 8 " " " S. 36 E 17 " "

West Between Sec. 22 & 27 To River
0.87 To Post on the Left Bank of the River. from which
a B. Ash 12 ins. diam. bears East 13 links dist. &
a Lynn 12 " " " S 57½ E 23 " "
West of the River level 2nd rate Land Oak. Barrens
East of " " " Bottom soil 2nd rate.
Timber Oak & Ash.

North Between Sec. 21 & 22.
40.00 Set a q. Sec. post from which
a Hickory 9 ins. diam. bears S 62 W 37 links dist. &
a Do 8 " " " N 75 E 21 " "
48.40 A Hickory 9 ins. diam.
80.00 Set a Post Corner to Sec. 15 16. 20 & 21. from which
a W. Oak 6 ins. diam. bears S 63 E 83 links dist. &
a B. Oak 12 " " " N 64 W 48 " "

T 38 N. R 6 E 2nd Mer. Indiana

Rolling 2nd rate Barrens. Timber. W. & B. Oak.

East — On Random between Sec. 15 & 22
79.40 — Intersect the N & S line 40 links S. of the Post.
Rolling 3rd rate Barrens. Timber Oak.

West — Corrected between Sec. 15 & 22
13.77 — A W. Oak 6 ins. diam.
39.70 — Set a gr. Sec Post at corr. dist. from which
a W. Oak 7 ins. diam. bears N 63 E 13 links dist. &
a Do 12 " " " S. 27 W 84 " "
79.40 — To Sec Corner.

North — Between Sec. 15 & 16
29.00 — A W. Oak 9 ins. diam.
40.00 — Set a gr. Sec. Post from which
a B. Oak 12 ins. diam. bears N 87 W. 28 links dist. &
a Do 9 " " " S 88 E 22 " "
49.50 — A W. Oak 12 " "
55.00 — Enter Prairie
80.00 — Set Corner to Sec. 9. 10 15 & 16 from which
a W. Oak 7 ins. diam. bears N. 88 W. 8 links dist. &
a Do 16 " " " N. 82 E. 40 " "
Level 3rd rate Oak Barrens.

East — On Random between Sec. 10 & 15
25 00 — A Lake. lies South of line. say 50 acres.
30.00 — A Marsh
38.00 — Leave same
79 00 — Intersect the N & S line 79 links S. of the Post.
Very Rolling 3rd rate Barrens thinly timbered with Oak.

West — Corrected between Sec. 10 & 15
39.50 — Set a gr. Sec Post at corr. dist. from which
a B. Oak 10 ins. diam. bears N 19 E 64 links dist. &

T. 36 N. R. 6 E. 2nd Mer. Indiana.

a B. Oak 10 in. diam. bears S 43° W 35 links dist.
4.87 A B. Oak 11 " " "
79.00 To Sec. Corner.

North Between Sec. 9 & 10
3.75 Margin of Lake. Set a Post from which
a W. Oak 12 in. diam. bears S 68° W 42 links dist. &
a Do 10 " " " S 71½ E 1.09 " "
Land the same as last mile.

North Between Sec. 32 & 33
40.00 Set a q. Sec. post ~~from which~~ in Mound in Prairie
55.00 Enter Barrens & Leave Prairie
57.50 A Burr Oak 12 in. diam.
60.00 Set a Post Corner to Sec. 28. 29. 32 & 33. from which
a W. Oak 9 in. diam. bears N 66 E 11 links dist. &
a B. Oak 11 " " " S 58½ W 1.10 " "
Part level 2nd rate Prairie — Rest Barrens. Timber
Burr Oak. Hickory. B. & W Oak.

East On Random between Sec. 28 & 33.
32.50 Enter Prairie
56.00 Leave same & Enter Barrens.
79.42 Intersect the N & S. line 17 links South of the Post.
Very level. 2nd rate. Soil Part Prairie & part
Oak Barrens

West Surveyed between Sec. 28 & 33.
5.45 A W. Oak 16 in. diam.
39.71 Set a q. Sec. Post from which
a Burr Oak 12 in. diam. bears N 52½ E 3.25 links dist.
& a Do 11 " " " S. 76 W 6.21 " "
79.42 To Sec. Corner.

North Between Sec. 28 & 29.
5.82 A W. Oak 10 in. diam.

T 38 N. R. 6 E. 2nd Mer. Indiana

17.75 Set a Post on the Left Bank of St. Josephs River
from which
a Sycamore 9 ins. diam. bears S 56° W 36 links dist &
a W. Oak 26 " " " N 57° E 1.42 " "
25.05 Cross the River & Set Post on the Right Bank.
from which
a Maple 12 ins. diam. bears N 60 E 13 links dist &
a B. Ash 8 " " " N. 76 W. 47 " "
37 80 A B. Oak 6 " "
40 00 Set a Qr Sec Post from which
a B Oak 10 ins. diam. bears N 71° W 37 links dist &
a Hickory 5 " " " N 79° E 45 " "
40 20 (Exc. 80.00) Set a Post Corner to Secs 20 21. 28 & 29. from which
a W. Oak 10 ins. diam. bears N 82. E 70 links dist &
a Bur. Oak 8 " " " N 0 1/2° W 2.7 " "
Level 2nd rate Oak Barrens

East On Random between Secs. 21. & 28.
79.84 Intersect N. & S line 59 links South of the Post.
Rolling Brushy 2nd rate Land. Barrens, Timber
Oak. & Hickory

West Corrected between Secs. 21 & 28.
12.57 A Hickory 12 ins. diam.
39.92 Set a Qr Sec Post at ave. dist from which
a W. Oak 7 ins. diam. bears S 39 W 14 lks dist &
a Do 14 " " " N 39 E 18 " "
40.57 A W. Oak 12 " "
79 84 To Sec. Corner.

North Between Secs. 20 & 21.
7.49 A B. Oak 14 ins. diam.
30.00 Enter wet Prairie
40.00 Set a Qr Sec. Post from which
a B. Oak 16 ins. diam. bears S. 59 E. 6 73 links dist &
a Do 15 " " " N. 60 W. 3.75 " "

T 38 N. R 6 E 2nd Mer. Indiana

80 00 Set a Post Corner to Sec. 16. 17. 20 & 21. from which
a Hickory 8 ins. diam. bears N 58 E 29 links dist. &
a Do 10 " " " S 81p W 45 " "
Land level. 2nd rate. Timber W. Oak. & Hickory.

East On Random between Sec. 16. & 21.
79.92 Intersect the N & S line 40 links North of the Post
Land 3d rate Barrens small. B. & W. Oak.

West Corrected between Sec. 16 & 21.
39.60 Set a q. Sec. post at aver. dist. from which
a Hickory 8 ins. diam. bears N. 4 E. 5 links dist. &
a W Oak 30 " " " N. 53 W. 149 " "
79.92 To Sec Corner

North Between Sec. 16 & 17.
14.92 A B. Ash 16 ins. diam.
40.00 Set a q. Sec. post from which
a B. Oak 14 ins. diam. bears N 77 E 29 links dist. &
a W. Oak 6 " " " S 70 W 80 " "
81.20 A B Oak 10 " "
77.00 Enter dry Prairie. barren. NE & SW.
80.00 Set a Post Corner to Sec. 8. 9. 16 & 17. from which
a W. Oak 14 ins. diam. bears N 72p W. 53 4 links dist. &
a Bl. Oak 10 " " " S 77p E 3.13 " "
Very level. 2nd rate Land. Timber. B. & W. Oak. Barrens.

East On Random between Sec. 9 & 16.
79.73 Intersect the N. & S. line 39 links North of the Post
High Rolling. handsome 2nd rate Barrens Timber
Best quality of Bur Oak & Hickory. Scattering

West Corrected between Sec. 9 & 16.
6.39 An. Bl. Oak. — ins. diam.
39.60 Set a q. Sec. post at aver. dist. from which
a W. Oak 5 ins. diam. bears N 35 E 42 links dist. & a

T 38 N. R 6. E 2nd Mer. Indiana

	a W. Oak 4 ins. diam. bears S 32 W 54 links dist.
79.73	To Sec. Corner.

North	Between Sec. 8 & 9.
4.00	Leave Prairie
4.50	A Red Oak 20 ins. diam.
31.14	Intersect the State line. Set a Post from which
	a B. Oak 12 ins. diam. bears S 31 W 35 links dist. &
	a W. Oak 8 " " " S 49 E 64 " "
	Level 3d rate Barrens. B. Oak Timber chiefly.

North	Between Sec. 31 & 32.
25.00	Leave Prairie & Enter Barrens
27.75	A Blk Oak 5 ins. diam.
30.50	A Brook 5 links wide. Course N W.
40.00	Set a g. Sec. Post. from which
	a W. Oak 30 ins. diam. bears West 92 links dist. &
	a Do 18 " " " N 47 E 71 " "
76.00	Set a Post on the Left Bank of the River. from which
	a Maple 16 ins. diam. bears N 82 W. 36 links dist. &
	an R. Oak 12 " " " S 43 E 41 " "
80.00	Corner of Sec. 29. 30. 31. & 32 in River.
	Level 2nd rate Oak Barrens

West	On True line between Sec. 29 & 32.
17.00	A B. Oak 12 ins. diam.
40.00	Set a g. Sec. Post from which
	a W. Oak 30 ins. diam. bears N 34 E 39 links dist. &
	a B. Oak 28 " " " S 35 W 41 " "
45.00	Set a Post on the Left Bank of the River. from which
	an Elm 5 ins. diam. bears N. 9 E 1.12 links dist. &
	a Maple 6 " " " S 16 W. 21 " "
57.50	Over the River & set a Post on the Right Bank.
	from which
	a Lynn 12 ins. diam. bears N 80 E 9 links dist. &
	a Sassafras 8 " " " S 50 E 9 " "

T. 38. N. R. 6. E. 2nd Mer. Indiana.

58.50 N. W. Oak 12 ins. diam.
67.67 To the Right Bank of the River. and set a
Post from which
a Sycamore 6 ins. diam. bears S. 3 E. 7 links dist. &
a B. Oak 10 " " " N. 4 W. 1.30 " "
80.00 To Sec. Corner in River
East of the River. Level 2nd rate Barrens. Wet of
the River. Rolling 2nd rate Land. Timber. Oak.

North Between Sec. 29 & 30.
3.40 Over the River to Right Bank. & set a Post from which
a W. Oak 16 ins. diam. bears S. 75 E. 9 links dist. &
a Do 6 " " " N. 65 W. 11 " "
40.00 Set a g. Sec. Post from which
a Hickory 8 ins. diam. bears N. 84 E. 77 links dist. &
a Burr Oak 12 ins. " " S. 79 W. 1.18 " "
48.07 A B. Oak 16 " "
80.00 Set a Post Corner to Sec. 19. 20. 29. & 30. from which
a B. Oak 18 ins. diam. bears N. 89 E. 46 links dist. &
a Do 15 " " " S. 60 W. 91 " "
Level 2nd rate Barrens. Timber. W. & B. Oak.

East On Random between Sec. 20 & 29.
79.90 Intersect the N. & S. line 80 links S. of the Post.
Rolling 2nd rate Oak Barrens
Tuesday Feb. 16. 1830

West Corrected between Sec. 20 & 29.
12.37 A W. Oak 10 ins. diam.
39.95 Set a g. Sec. Post at aver. dist. from which
a W. Oak 24 ins. diam. bears S. 22 E. 4.36 lks dist. &
a Burr Oak 9 " " " N. 18 W. 4.04 " "
44.37 A W. Oak 11 " "
79.90 To Sec. Corner

North Between Sec. 19 & 20

T 38 N. R 6 E 2nd Mer. Indiana

2. 77 A W. Oak 12 ins. diam.
40.00 Set a gr Sec Post from which
a Burr Oak 9 ins. diam. bears N. 3. E. 22 links dist &
a B. Oak 14 " " " N. 3. W. 3 " "
47. 70 A W. Oak 12 " "
61.50 Enter Prairie Course N E
80.00 Set a Post Corner to Sec. 17. 18. 19. & 20 from which
a B. Oak 14 ins diam. bears S 61 E 17 links dist &
a W. Oak 9 " " " N. 61 W. 10 " "
Land level 3d rate. Timber. W. O. & Burr Oak.

East On Random between Sec. 17 & 20.
44.00 Enter Wet Prairie N 20 E.
64.00 Leave same
79.90 Intersect the Mc N & S line 90 links S. of the Post.
Land level & 3d rate Timber. W. & B. Oak.

West Corrected between Sec. 17 & 20
0. 73 A W. Oak 12 ins. diam.
39.95 Set a gr Sec Post at aver. dist from which
a B. Oak 10 ins. diam. bears N. 56 W. 85 links dist &
a Do 17 " " " S 65 E 18 " "
48 60 A B. Oak 12 " "
79.90 To Sec Corner.

North Between Sec. 17. 18
33. 12 A B. Oak 16 ins. diam.
40.00 Set a gr Sec Post from which
a Hickory 10 ins. diam. bears N 13½ E 15 links dist &
a B. Oak 16 " " " N 45 W 49½ " "
47.87 A W. " 98 " "
80.00 Set a Post Corner to Sec. 7. 8. 17 18 from which
a W. Oak 15 ins. diam. bears N. 86 W. 36 links dist &
a Do 14 " " " N. 67 E. 5 " "
Level 3d rate Oak Barrens

T 38 N. R. 6 E 2nd Mer. Indiana.

East — On Random between Sec. 8 & 17.
50.00 Enter Prairie
80.00 Intersect the N & S. line 4 links E. of the Post.
Rolling 3d rate Oak Barrens

West — Corrected between Sec. 8 & 17.
1.00 Set a g. Sec. post from which
a Hickory 10 ins. diam. bears N 8 W 24 links dist. &
a B. Oak 10 " " " S 5 E 57 " "
48.00 An A Oak 8 " "
80.00 To Sec Corner.

North — Between Sec. 7 & 8
9.22 A W. Oak 15 ins. diam.
31.75 Intersect State line and set a Post from which
a B. Oak 17 ins. diam. bears S 44 W 42 links dist. &
a W. Oak 26 " " " S 50 E 2.92 " "
Land 3d rate W. Oak Barrens.

West — Between Sec. 30 & 31.
5.90 Leave the River and set a Post on the Right Bank
from which a
Hickory 9 ins. diam. bears N 54 E. 48 links dist. & a
Do 10 " " " S 36 W 92 " "
19.10 Enter Prairie N & S
30.50 A Brook 7 links wide. Course S E.
40.00 Leave Prairie & set a g. Sec. post from which
a W. Oak 10 ins. diam. bears N. 56 W. 4 links dist. and
a Do 10 " " " S. 67 W. 2.42 " "
47.90 A W. Oak 11 " "
73.32 Intersect West Boundary 2.75 links South of the Post
Set a Post from which
a B. Oak 12 ins. diam. bears N. 12 E. 31 links dist. &
a W. Oak 8 " " " S. 64 E. 90 " "
Level 3d rate Oak Barrens.

T. 38. N. R. 6. E. 2nd Mer. Indiana.

West Between Sec. 19 & 30.
4. 74 A W. Oak 10 in. diam.
40. 00 Set a g. Sec. post from which
a W. Oak 18 in. diam. bears N 27 W 18 links dist. &
a Hickory 6 " " " S 27 E 42 " "
49. 94 A W. Oak 10 " "
73 20 Intersect the West Boundary. 2 90 South of the Post.
Set a Post Corner of Sec. 19 & 30 from which
a B. Oak 12 in. diam. bears N 39 E 75 links dist. &
a W. Oak 12 " " " S 54 E 28 " "
Land & same.

West Between Sec. 18 & 19.
40. 00 Set a g. Sec. post from which
a B. Oak 8 in. diam. bears N 20 E. 434 links dist. &
a W. Oak 9 " " " N 54 W 6 34 " "
59. 56 A Do 7 " "
72. 07 Intersect the West Boundary 2.03 links S. of Post.
Set a Post Corner to Sec. 18 & 19 from which
a W. Oak 12 in. diam. bears N 49 E 39 links dist. &
a Do 10 " " " S 31 E. 38 " "
Level 2nd rate Oak & Hickory Barrens

West Between Sec. 7 & 18
3. 50 A W. Oak 10 in. diam.
35. 00 Enter Prairie N & S.
40. 00 Set a g. Sec. post in Mound
60. 00 Leave Prairie
71 53 Intersect the West Boundary 1. 72 links S. of Post.
Set a Post Corner to Sec. 7 & 18. from which
a W. Oak 17 in. diam. bears S. 14 E. 0 3 links dist. &
a Do 15 " " " N. 37 E. 1. 58 " "
Land & same as last mile

T 38 N. R 6 E. 2nd Mer. Indiana

Meanders of the St. Josephs River
Beginning at Post on the line between Ranges 5 & 6
East. on the North side of the River; thence up
Stream on the Right Bank.

Courses	Distances	Remarks.
N 80 E	3.23	
S 71 E	10 98	At 2.25 a Spring At 5.00 Do. At 7.50 Do.
S 63 E	6.37	
S 77 E	6.58	
S 52 E	5.31	
S 40½ E	6.43	
S 88 E	6.05	
N 72 E	3.50	
N 60 E	5.50	
N 68 E	3.21	
N 60 E	3.50	
N 34½ E	6.91	
N 19½ E	11.09	
N 28⅔ E	4.00	
N 42½ E	1.48	To line between Sec. 30 & 31.

N 49⅔ E	2.90	
N 66⅔ E	2.77	
N 74 E	1.18	To line between Sec. 29 & 30
N 73 E	3.08	
N 81¼ E	6.79	
S 84½ E	1.78	
S 55 E	3.47	To line between Sec. 29 & 32

S 52 E	3.00	
S 41 E	5.23	
S 49½ E	4.02	
N 75 E	4.18	
N 35 E	2.83	
N 10 E	5.73	To line between Sec. 29 & 32.

T 38 N. R 6. E 2nd Mer. Indiana

N 5 p E 5.60
N 20 p E 3.75
N 30 p E 5.10
N 56 3/4 E 7.38
N 85 E 3.44
S 75 p E 11.46 At 1.50 A Spring - At 4.50 A Spring.
S 60 E 6.75
N 86 E 5.91
N 47 p E 3.40
N 14 E 2.50
N 9 p E 3.14
N 39 E 2.89
N 64 E 2.89
S 71 p E 5.75 To line between Sec. 28 & 29.

N 77 E 4.05
N 66 p E 5.18
N 51 E 4.39
N 32 E 2.60
N 13 E 12.50
N 26 E 11.87
N 36 p E 7.61
N 61 E 4.86
N 83 E 6.07
S 82 p E 5.03
S 54 E 3.07
S 41 E 6.62
S 52 p E 3.22
S 25 p E 5.76
S 24 p E 2.47
S 7 1/2 E 4.60
N 80 p E 3.85
N 39 p E 2.65
N 19 E 5.45
N 16 p E 6.76
N 13 p E 4.65

T 38 N. R. 6 E 2nd Mer. Indiana.

N 35 E 3.78
N 61¼ E 5.54
N 69¾ E 3.00 To Line between Sec.s 27 & 28.

N 70 E 5.00
N 83½ E 5.30
S 81½ E 2.91
S 57¾ E 3.45
S 32½ E 2.23
S 30 E. 1.99
S 73 E 4.93
N 68 E 2.83
N 25½ E 6.08
N 113 E 2.52
N 33 E 4.09
N 44 E 4.09 To line between Sec.s 22 & 27

N 45.00 E 3.48
N 54½ E 3.07
N 83 E 2.93
N 83½ E 8.93
N 71¾ E 1.90
S 48½ E 2.50 To line between Sec.s 22 & 27

S 40¾ E 1.03
S 30¾ E 1.01
S 10½ E 3.52
S 10 W 4.83
S 27 E 2.02
S 70¾ E 2.14
N 7½ E 3.24
N 25 E 0.97
N 34 E 3.32
N 7¾ W 2.27
N 9½ W 2.90
N 16¼ W 2.82 To Line between Sec.s 22 & 27

T. 38 N. R 6 E 2nd Mer. Indiana

N 21 E	13.18	
N 20¾ E	5.01	
N 21 E	5.00	
N 31 E	3.75	
N 13¼ E	6.16	
N 7¼ W	4.46	
N 8 E	1.97	
N 18 E	3.59	To line between Sec. 22 & 23

N 27¼ E	10.78	
N 2¾ E	13.50	
N 35¼ E	4.65	
N 78⅓ E	12.81	
N 50¾ E	5.01	
N 5¼ E	7.50	To line between Sec. 14 & 23.

N 12 E	3.58	
N 44 E	4.27	
N 61 E	4.04	
N 44 E	5.01	
N 21 16/100 E	4.05	
N 13 W	4.54	
N 20¼ W	14.13	
N 21¾ W	4.01	
N 64 W	4.01	
N 18 W	5.75	
N 11 E	3.49	
N 40 E	4.40	Trent Creek 120 links wide. Course N 2.00
N 58¾ E	5.13	
N 81 16/100 E	6.37	
S 78 E	4.08	
S 69 E	7.12	
N 83 E	2.92	
N 54 E	2.31	
N 38 E	2.38	
N 5 10/100 E	2.16	

T 38 N. R 6 E. 2nd Mer. Indiana.

N 17½ W 7.44
N 27½ W 4.25
N 11 W 4.30
N 15 10 E 3.79 To line between Sec. 11. & 14

N 25 E 4.16
N 45 E 3.17
N 69⅓ E 4.35
S 80 E 4.73
S 71 E 5.74
S 64 E 5.76 To line between Sec. 11 & 12.

S 69 E 2.24
S 49⅓ E 2.16
S 43 E 1.16 To line between Sec. 12 & 13

S 48 E 1.64
S 52½ E 2.42
S 47½ E 3.50
S 31¾ E 1.83
S 47½ E 2.38
S 87½ E 1.71
S 43⅓ E 2.41
N 13 E 3.00
N 13½ E 2.39 To line between Sec. 12. & 13

N 3 E 3.18
N 13⅔ E 4.08
N 42½ E 6.67
N 20½ W 4.34
N 5 W 5.31
N 44½ W 2.20
N 38½ W 5.34
N 31½ W 2.50
N 20½ W 1.81 To Post on the State line between Sec.
Indiana and Michigan Territory

T 36 N. R 6. E 2nd Mer. Indiana.

Meanders of the St Josephs River on the South side. Beginning at Post on Range Line. Between Ranges 5 & 6 East thence up Stream.

Courses	Distances	Remarks
East	8.93	
S 63½ E	4.27	
N 89½ E	6.28	
S 62 E	3.91	
S 48 E	11.71	
S 69 E	8.00	
S 89 E	7.09	At 1.50 A Spring
N 68 E	5.67	
N 60 E	6.58	
N 48 E	5.00	A Brook from North 10 links
N 69½ E	7.00	At 5.50 Foot of Island
N 42 E	4.50	Upper Point of "
N 113½ E	3.65	
N 111½ W.	7.87	
N 27 E	3.32	
N 53½ E	4.69	To line between Sec.s 31. & 32.
N 73 E	3.87	
S 80 E	1.74	
S 63 E	1.71	
S 57½ E	10.00	
S 58 E	6.50	
S 83 E	5.50	
N 55 E	7.50	
N 39 E	3.00	
N 7 E	6.30	At 0.75 links a Spring At 4.25 A Brook 5 links wide. To Line between Sec.s 29 & 32.

N 30 W	6.50	
N 21 E	5.01	
N 34 E	2.50	
N 54 E	4.50	
N 82½ E	3.75	

T 38 N. R 6 E 2nd Mer. Indiana.

S 67½ E	11.16	
S 71 E	2.88	
S 82 E	6.01	
N 81 E	3.35	
N 71 E	3.65	To lower point of Island.
N 66½ E	3.91	
N 57 E	4.92	Upper point of Island
N 31½ E	1.74	To Line between Sec's 28 & 29

N 39½ E	2.75	
N 61¼ E	4.00	
N 61 E	9.11	
N 44½ E	4.50	A Spring
N 24 E	3.87	
N 11¾ E	3.01	
N 11 E	1.77	
N 18 E	2.22	
N 23½ E	3.27	
N 37 E	2.47	
N 38 E	2.28	Lower point of Island
N 37 E	3.00	Head of "
N 24½ E	2.82	
N 12½ E	5.40	
N 29 E	4.50	
N 58 E	3.47	
S 84 E	3.40	
S 67 E	4.86	
S 48 E	5.39	
S 22½ E	4.00	
N 23½ E	5.20	
S 46¾ E	4.27	
S 67 E	4.24	
N 89½ E	3.22	
N 81 E	5.92	
N 80½ E	1.50	
N 54 E	3.24	

T 38 N. R 6 E 2nd Mer. Indiana

N 39½ E	3.30	
N 25 E	2.13	
N 18½ E	1.90	
N 7½ E	4.89	
N 9½ W	4.00	
N 29 E	2.81	
N 37 E	4.73	
N 51½ E	2.30	To line between Sec. 27 & 28.

N 70 E	3.67	
N 86 E	4.00	To Foot of Island
S 52 E	9.00	Head of Do.
S 63½ E	6.00	
S 82½ E	3.50	
S 89 E	3.00	
N 78 E	3.75	
N 50½ E	3.00	
N 37½ E	1.79	
N 13½ E	6.00	
N 7½ E	3.81.	[original note says W]
N 43½ E	3.69	
N 71 E	3.00	To 2 Islands
S 60 E	6.11	Head of . & Foot of another.
S 43 E	11.13	
S 58½ E	3.38	
S 70¾ E	3.72	
N 83 E	3.50	
N 70 E	4.01	
N 45½ E	3.93	
N 18 E	5.29	
N 2 E	3.38	At 2.15 Mouth of little Elkhart 90 lks. wide
N 10 E	4.50	To line between Sec. 22 & 27.

N 25 E	1.98	
N 16 E	10.41	
N 29½ E	3.20	
N 37 E	2.40	To line between Sec. 22 & 23

T 38 N. R 6 E 2nd Mer. Indiana

N 57 E.	3.77	
N 39½ E	4.00	
N 4½ E	3.00	
N 22½ W	7.00	
N 31 E	2.85	Foot of an Island
N 82½ E	2.88	
N 58 E	2.90	
N 31 E	2.56	
N 21 E	2.57	
N 16 E	2.74	Head of Island.
N 22 W	6.30	
N 13 W	5.53	
N 23 E	3.45	
N 46 E	6.81	
N 59 E	4.85	
N 75 E	5.06	
N 54 E	3.25	
N 25½ E	7.00	
N 19½ E	4.81	
N 30⅓ E	2.40	To line between Sec. 14 & 23

N 32½ E	5.66	
N 45½ E	5.70	
N 34½ E	6.95	
N 17½ E	0.89	At 500 Foot of Island
N 1 W	2.72	
N 19 W	3.17	Head of Island.
N 35½ W	4.47	
N 43 W	4.88	
N 40 W	5.07	
N 16½ W	8.33	
N 33½ E	3.97	
N 69½ E	4.18	
S 85½ E	8.47	
S 88 E	6.19	To Old French Trading House
N 72 E.	3.17	

T 38 N. R 6 E 2nd Mer. Indiana.

~~N 72 E 3.17~~
N 57 E 3.88
N 41 E 2.00
N 47 E 2.28
N 27 E 2.69
N 14 E 3.34
N 26 W 2.35
N 41 W 9.00
N 25 W 2.00
N 12 E 3.50
N 55 E 3.09
N 81 E 5.15
S 77 E 3.80
S 61 E 3.00
S 50 E 6.95 To line of Sec. 13 & 14

N 29 W 3.15
N 40 W 5.34
N 52 W 6.02
N 55 W 1.07
N 65 W 1.00 To Post on the State line East side of River

Meanders of a Lake in Sec 10
Beginning at the q. Sec. Post between Sec. 10 & 15
North 8.35 To Lake. Thence
N 57 E 8.19
N 18 W 3.63
N 53 W 2.88
N 87 W 3.83
S 27 W 7.85
S 5 W 3.65
S 47 E 2.94
N 68 E 2.59 To place of Beginning.

Meanders of a Lake in Sec 15
Beginning at the q. Sec. Post. Between Sec. 10 & 15

T 38 N. R. 6 E 2nd Mer. Indiana

West 12.28 To Margin of Lake Thence
S 89 W 7.43
S 52½ W 4.04
S 27 W 8.88
S 4¾ E 5.00
S 86 E 4.00
S 49½ E 5.00
N 89 E 3.98
N 29½ E 10.60
N 1½ E 7.73
N 36½ W 2.80 To place of Beginning

Meanders of a Lake in State line in Sec. 9 & 10
Beginning at Post on State line West side of Lake.
S 6½ E 6.93
S 60½ E 7.10
S 29 E 14.47
S 5 E 3.54 To line between Sec. 9 & 10

N 85½ E 6.90
N 59½ E 4.92
N 3⅓ E 11.54
N 8½ E 10.85 To post on State line East side of Lake

Meanders of a Lake in Sec 15
Beginning at Corner of Sec. 9. 10 15 & 16.
S 21 E 14.13 To the Lake. Thence
S 25½ W 5.25
S 16½ E 19.18
S 12 W 4.20
S 6¾ E 11.63
S 50¼ E 11.93
N 73 E 4.14
N 31 E 2.88
N 18½ W 5.34
N 14½ W 8.45

T 38 N. R 6. E 2nd Mer. Indiana

N 18 E 4.70
N 21 W 10.19
N 30 W 15.23
N 58 W 4 33 To place of Beginning

Surveyed by

I Certify that the foregoing Transcript of the field-Notes of Township No 38 North of Range No 6 East of the 2nd Mer. Indiana has been Compared with the original Notes in this Office, and found to be Correct

Surveyor Generals Office.
Cincinnati March 20th 1843.

William Johnston
Sur Genl